

Technical Data Sheet

LINN Bathroom Furniture Oil No. 1703

Range of application	For interior usage on solid wooden furniture, especially bathroom furniture.
Technical qualities	After 3 coats glossy, water resistant surface.
Full Declaration	Linseed oil - stand oil - natural resin ester, castor oil - natural resin ester, wood oil, isoaliphates, natural resin glycerol ester, dehydrated amino sugar and drying agents free of lead (Co, Zr) .
Color	Clear.
Preparation:	Wood must be dry (wood moisture content below 12%), solid, absorbent, free of resin and dust. Gradual pre-sanding according to the sandpaper gradation up to 240 grain, except oak 180 grain.
Application method	Remove possible skin formed on the surface and stir thoroughly! Test application. Depending on the requirements, absorbency and wood type: 3 applications by painting until layer formation, at temperatures above 16°C (60.8 °F). After every application polish in excess oil after 5-10 minutes with a lint-free cotton cloth. Intermediate sanding with 320 grain after 1 st and 2 nd application and drying over night. On surfaces treated with KUNOS Natural Oil Sealer No. 244 or KUNOS Countertop Oil No. 243 apply a single coat after slightly sanding with 180 grain.
Coverage	To be determined by a test application! 1. coat: 56 ml/m ² , i.e. 1 l is sufficient for approximately 18 m ² (194 ft ²). 2. coat: 16 ml/m ² , i.e. 1 is sufficient for approximately 63 m ² (678 ft ²). 3. coat: 11 ml/m ² , i.e. 1 l is sufficient for approximately 90 m ² (968 ft ²).
Cleaning up	Clean equipment immediately after use with SVALOS Thinner No. 222 or LEVO Brush Cleaner No. 997.
Drying time	At 23°C and 50 % relative humidity 8 -12 hours. Completely hardened after approximately 4 weeks.
Specific gravity	Approximately 0.95g/ml.
Safety advice	<p>Ensure good ventilation during and after application.</p> <p>Always be sure to store and then dispose of cleaning cloths, polishing pads, sponges, etc. that are still wet or even slightly moist with LINN Bathroom Furniture Oil No. 1703 in an airtight metal container or in water, as there is a danger of spontaneous combustion caused by the plant oil content. The product itself will not combust spontaneously.</p> <p>P102 Keep out of reach of children. P301+P310 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a doctor. EUH066 Repeated exposure may cause skin dryness or cracking. EUH208 Contains Cobalt (2+) salts. Can cause allergic reactions.</p>
Disposal	According to locally regulated laws.
Container sizes	0.375 l; 0.75 l; 2.5 l.
Storage	Cool and dry. Shelf life: unopened at least 2 years. Transfer opened product into a smaller container for storage in order to minimize excess air.

These directions are the result of long years of research and practical testing. They are backed by our most current expert information. New findings may invalidate this information. The latest version is available on our website at www.livos.de. This data sheet is meant to serve as information and instruction. No legal liability should be interpreted from it. In case of doubt, please contact the retailer, wholesaler, or manufacturer.

January 2016